






KAPPA 50.11cs/60.11cs owner's manual

KAPPA 50.11cs/60.11cs









В

|←

60.11cs

6-3/16" (156mm)

5-1/8" (129mm)

2-3/4" (68mm)


2-1/8" (53mm)

Α В

С

D

50.11cs



3-15/16"

100mm

Confinity

- IN + - WF + - TW +

3-5/16"

84mm

Ð

Ð

2-1/2'' 64mm

С

D

¥

0


Q

3-1/8"

80mm

	<u>_</u>
	3/4'' 19mm 11/16'' 17mm

49mm →



\square	\mathcal{D}	2-1/4
))	2-1/4' 57mm
		•

60.11cs		50.11cs	
BI (Tm)	4.16	BI (Tm)	3.73
DCR (ohms)	2.3	DCR (ohms)	2.28
Mms (g)	14.42	Mms (g)	9.71
Sd (cm²)	128.0	Sd (cm ²)	95.03
Cms (µm/N)	0.305	Cms (µm/N)	0.352
Vas (I)	7.02	Vas (I)	4.46
Fs (Hz)	75.9	Fs (Hz)	86.1
Qes	0.91	Qes	0.86
Qms	3.78	Qms	3.66
Qts	0.74	Qts	0.70

SPECIFICATIONS	60.11cs	50.11cs	Ē
Туре:	6-1/2" two-way car audio component system	5-1/4" two-way car audio component system	NGLIS
Peak power handling:	270W	255W	
Power handling, continuous average:	90W RMS	85W RMS	
Recommended amplifier RMS power range:	5W – 200W	5W – 200W	
Frequency response:	45Hz – 35kHz	55Hz – 35kHz	
Nominal impedance:	2 ohms	2 ohms	
Sensitivity (2.83V/m):	93dB	93dB	

GENERAL CARE: Clean the speaker grilles with a damp cloth. Do not use any cleaners or solvents on the grilles or on the speaker units.

WARRANTY: Kappa series speakers are warranted against defects. The duration of the speaker's warranty depends on the laws in the country in which it was purchased. Your local Infinity[®] car audio retailer can help you determine the length of your warranty. To register your product, please go to www.infinitysystems.com.

HARMAN International Industries, IncorporatedHARMAN8500 Balboa Boulevard, Northridge, CA 91329 USA

 $\ensuremath{\textcircled{O}}$ 2012 HARMAN International Industries, Incorporated. All rights reserved. Infinity is a trademark of HARMAN International Industries, Incorporated, registered in the United States and/or other countries. Features, specifications and appearance are subject to change without notice. Part No. 950-0428-001 Rev. A

www.infinitysystems.com